ELSEVIER

Materials Science and Engineering, A194 (1995) 245

MATERIALS SCIENCE & ENGINEERING A

Author Index of Volume 194

Adeva, P., 17
Arsenault, R.J., 121

Behrendt, D.R., 193
Bhadeshia, H.K.D.H., 179
Blanc, R. H., L23

Caruana, G., 17
Chou, Y.T., 113
Chrysanthou, A., L11
Chung, K.H., 165
Cizek, P., 201

Danzig, A., 77
David, S.A., 187
Dobeš, F., 9, L19
Dutta, A., L1

Echigoya, J., 87
Ericsson, T., 147

Fuentes M., 25

Gautsch, O., L27
Gjengedal, R., L15
Gnanamoorthy, R., 35
Gong, B., 171
Görting, K., 1
Grieveson, P., L11

Hanada, S., 53
Hanus, E., 147
Heinrich, W., 1
Hong, S.H., 157, 165
Hu, Z.Q., 211

Kawanaka, T., 43
Kerr, H.W., 187
Kim, H.Y., 157
Kim, W.J., 69
Kool, W.H., 129
Kosmač, T., 235

Laird, C., 137
Lee, J.R., 157
Lei, T.C., 219
Li, D.X., 211
Li, Y.Z., 113
Liu, X., L15
Liu, X.D., 211
Long, M., 99

Martín-Meizoso, A., 25
Martínez-Esnaola, J.M., 25
Marucco, A., 225
Mattern, N., 77
Maurickx, T., 179
Mayer, H., 137
McCulloch, D.G., 201
Milička, K., 9
Mizuhara, Y., 35
Müller, M., 77
Mutoh, Y., 35

Nakano, T., 43
Nili Ahmadabadi, M., 87
Niyama, E., 87
Novak, S., 235

Ödeen, S., L23
Okuyama, K., 63
Orlová, A., 9, L5
Ouyang, J.H., 219

Parker, B.A., 201
Patu, S., 121
Pei, Y.T., 219
Perdrix, J., 179
Ping, D.H., 211

Rack, H.J., 99
Rees, G.I., 179
Ribitsch, V., 235
Rodríguez-Ibabe, J.M., 25
Ruano, O.A., 17

Sakuma, T., 63
Schleinkofer, U., 1
Schlund, P., 1
Sherby, O.D., 69
Singh, M., 193
Siva Kumar, D., L1
Sockel, H.G., 1
Solberg, J.K., L15
Strijbos, G.H., 129

Terashima, H., 53
Torralba, M., 17

Umakoshi, Y., 43

Villafuerte, J.C., 187

Wang, Z.G., 171
Wittenauer, J., 69

Yasuda, H.Y., 43
Ye, H.Q., 211
Yoshimi, K., 53

Zhang, Y.W., 171
Zhou, Y., 219

ELSEVIER

Materials Science and Engineering, A194 (1995) 247–250

MATERIALS SCIENCE & ENGINEERING A

Subject Index of Volume 194

Alloys
high resolution electron microscopy studies of the microstructure in nanocrystalline $(Fe_{0.99}Mo_{0.01})Si_9B_{13}$ alloys, 209
influence of Cu and Nb on crystallization and magnetic properties of amorphous $Fe_{77.5}Si_{15.5}B_7$ alloys, 77
interpretation of the creep behaviour of dispersion-strengthened Al–Fe–Ni alloys in terms of the detachment mechanism, L19
microstructure of laser-clad SiC–(Ni alloy) composite coating, 219
predictions of the phase ratio at the lowest flow stress in superplastic titanium alloys, L1
reactive melt infiltration of silicon–molybdenum alloys into microporous carbon preforms, 193
strengthening due to non-random solid solutions, 121
superplastic behaivour of a rapidly solidified 7475 aluminium alloy, 129
Alumina
investigation of the powder characteristics and microstructures of alumina–zirconia composites, 235
Aluminium
a crystallographic study of dislocation cell arrangement in aluminium deformed at an elevated temperature, 201
crack propagation behavour during three-point bending of polymer matrix composite/Al_2O_3/polymer matrix composite laminated composites, 157
effect of APB type on tensile properties of Cr added Fe_3Al with $D0_3$ structure, 53
effect of lamellar structure on fracture behavior of TiAl polysynthetically twinned crystals, 43
effects of vacuum hot pressing parameters on the tensile properties and microstructures of SiC–2124Al composites, 165
interpretation of the creep behaviour of dispersion-strengthened Al–Fe–Ni alloys in terms of the detachment mechanism, L19
superplastic behaviour of a rapidly solidified 7475 aluminium alloy, 129
the ion-beam mixing of an aluminium and of a chromium layer with an alumina substrate and the respective migration distances, L27
thermo-mechanical stability of forged Ti–26Al–10Nb–3V–1Mo (at.%), 99
Antiphase boundaries
effect of APB type on tensile properties of Cr added Fe_3Al with $D0_3$ structure, 53
Austenite
measurement of austenite-to-ferrite temperature after multipass deformation of steels, L15

Bainite
the effect of niobium in solid solution on the transformation kinetics of bainite, 179
transmission electron microscopy study of high temperature bainitic transformation in 1wt.%Mn ductile iron, 87
Bending
influence of four-point bending fatigue on the residual stress state of a pressure-rolled, particulate-reinforced metal matrix composite, 147
Boron
high resolution electron microscopy studies of the microstructure in nanocrystalline $(Fe_{0.99}Mo_{0.01})Si_9B_{13}$ alloys, 209
influence of Cu and Nb on crystallization and magnetic properties of amorphous $Fe_{77.5}Si_{15.5}B_7$ alloys, 77

Carbon
effects of vacuum hot pressing parameters on the tensile properties and microstructures of SiC–2124Al composites, 165
microstructure of laser-clad SiC–(Ni alloy) composite coating, 219
reactive melt infiltration of silicon–molybdenum alloys into microporous carbon preforms, 193
superplastic gas-pressure deformation of iron carbide sheet, 69
the behaviour of tantalum in the presence of CO and CO/CO_2 mixtures at elevated temperatures, L11
Cermets
high temperature plastic flow in TiC–20wt.%Mo_2C–20wt.%Ni cermet, 63
behaviour of hard metals and cermets under cyclic mechanical loads, 1
Chromium
effect of APB type on tensile properties of Cr added Fe_3Al with $D0_3$ structure, 53
the ion-beam mixing of an aluminium and of a chromium layer with an alumina substrate and the respective migration distances, L27
Chromium addition
effects of chromium addition on the sustained-load cracking characteristics of gamma-base titanium aluminides, 35
Composites
crack propagation behaviour during three-point bending of polymer matrix composite/Al_2O_3/polymer matrix composite laminated composites, 157
effects of vacuum hot pressing parameters on the tensile properties and microstructure of SiC–2124Al composites, 165
influence of four-point bending fatigue on the residual stress state of a pressure-rolled, particulate-reinforced metal matrix composite, 147
investigation of the powder characteristics and microstructures of alumina–zirconia composites, 235
microstructure of laser-clad SiC–(Ni alloy) composite coating, 219

Copper
influence of Cu and Nb on crystallization and magnetic properties of amorphous $Fe_{77.5}Si_{15.5}B_7$ alloys, 77
the cyclic deformation behavior of Cu single crystal oriented for double slip, 171
Cracking
controlled generation of internal cracks in polymethyl methacrylate, 113
crack propagation behaviour during three-point bending of polymer matrix composite/Al_2O_3/polymer matrix composite laminated composites, 157
Creep
a mechanistic approach to the life prediction of 316L stainless steel under combined creep/fatigue cycling, 25
choice of evolution equation for internal stress in creep, 9
interpretation of the creep behaviour of dispersion-strengthened Al–Fe–Ni alloys in terms of the detachment mechanism, L19
Crystals
effect of lamellar structure on fracture behavior of TiAl polysynthetically twinned crystals, 43
high resolution electron microscopy studies of the microstructure in nanocrystalline $(Fe_{0.99}Mo_{0.01})Si_9B_{13}$ alloys, 209
the cyclic deformation behavior of Cu single crystal oriented for double slip, 171
Cyclic loading
behaviour of hard metals and cermets under cyclic mechanical loads, 1

Deformation
a crystallographic study of dislocation cell arrangement in aluminium deformed at an elevated temperature, 201
measurement of austenite-to-ferrite temperature after multipass deformation of steels, L15
superplastic gas-pressure deformation of iron carbide sheet, 69
the cyclic deformation behavior of Cu single crystal oriented for double slip, 171
Dislocation
a crystallographic study of dislocation cell arrangement in aluminium deformed at an elevated temperature, 201
Dispersion
interpretation of the creep behaviour of dispersion-strengthened Al–Fe–Ni alloys in terms of the detachment mechanism, L19

Electrical resistivity
phase transformations during long-term ageing of Ni–Fe–Cr alloys in the temperature range 450–600 °C, 225
Environmental effects
effects of chromium addition on the sustained-load cracking characteristics of gamma-base titanium aluminides, 35

Fatigue
a mechanistic approach to the life prediction of 316L stainless steel under combined creep/fatigue cycling, 25
behaviour of hard metals and cermets under cyclic mechanical loads, 1
influence of four-point bending fatigue on the residual stress state of a pressure-rolled, particulate-reinforced metal matrix composite, 147
Ferrite
measurement of austenite-to-ferrite temperature after multipass deformation of steels, L15
mechanisms of equiaxed grain formation in ferritic stainless steel gas tungsten arc welds, 187
Forging
thermo-mechanical stability of forged Ti–26Al–10Nb–3V–1Mo (at.%), 99
Fracture
effect of lamellar structure on fracture behavior of TiAl polysynthetically twinned crystals, 43

Grain formation
mechanisms of equiaxed grain formation in ferritic stainless steel gas tungsten arc welds, 187

Hard metals
behaviour of hard metals and cermets under cyclic mechanical loads, 1

Intermetallic compounds
effects of chromium addition on the sustained-load cracking characteristics of gamma-base titanium aluminides, 35
Iron
effect of APB type on tensile properties of Cr added Fe_3Al with $D0_3$ structure, 53
high resolution electron microscopy studies of the microstructure in nanocrystalline $(Fe_{0.99}Mo_{0.01})Si_9B_{13}$ alloys, 211
influence of Cu and Nb on crystallization and magnetic properties of amorphous $Fe_{77.5}Si_{15.5}B_7$ alloys, 77
interpretation of the creep behaviour of dispersion-strengthened Al–Fe–Ni alloys in terms of the detachment mechanism, L19
superplastic gas-pressure deformation of iron carbide sheet, 69
transmission electron microscopy study of high temperature bainitic transformation in 1wt.%Mn ductile iron, 87

Laminates
crack propagation behaviour during three-point bending of polymer matrix composite/Al_2O_3/polymer matrix composite laminated composites, 157
Life prediction
a mechanistic approach to the life prediction of 316L stainless steel under combined creep/fatigue cycling, 25
Loading
effects of load and recovery time on the complex modulus of polyoximethylene, L23

Manganese
transmission electron microscopy study of high temperature bainitic transformation in 1wt.%Mn ductile iron, 87
Mechanical properties
microstructure and high temperature mechanical properties of tin, 17
Melting
reactive melt infiltration of silicon–molybdenum alloys into microporous carbon preforms, 193
Metals
influence of four-point bending fatigue on the residual stress state of a pressure-rolled, particulate-reinforced metal matrix composite, 147
Microstructure
microstructure and high temperature mechanical properties of tin, 17
phase transformations during long-term ageing of Ni–Fe–Cr alloys in the temperature range 450–600 °C, 225

Migration
the ion-beam mixing of an aluminium and of a chromium layer with an alumina substrate and the respective migration distances, L27
Molybdenum
high resolution electron microscopy studies of the microstructure in nanocrystalline $(Fe_{0.99}Mo_{0.01})Si_9B_{13}$ alloys, 211
high temperature plastic flow in TiC–20wt.%Mo_2C–20wt.%Ni cermet, 63
reactive melt infiltration of silicon–molybdenum alloys into microporous carbon preforms, 193
thermo-mechanical stability of forged Ti–26Al–10Nb–3V–1Mo (at.%), 99

Ni–Fe–Cr alloys
phase transformations during long-term ageing of Ni–Fe–Cr alloys in the temperature range 450–600 °C, 225
Nickel
high temperature plastic flow in TiC–20wt.%Mo_2C–20wt.%Ni cermet, 63
interpretation of the creep behaviour of dispersion-strengthened Al–Fe–Ni alloys in terms of the detachment mechanism, L19
microstructure of laser-clad SiC–(Ni alloy) composite coating, 219
Niobium
influence of Cu and Nb on crystallization and magnetic properties of amorphous $Fe_{77.5}Si_{15.5}B_7$ alloys, 77
the effect of niobium in solid solution on the transformation kinetics of bainite, 179
thermo-mechanical stability of forged Ti–26Al–10Nb–3V–1Mo (at.%), 99

Oxygen
crack propagation behaviour during three-point bending of polymer matrix composite/Al_2O_3/polymer matrix composite laminated composites, 157
the behavour of tantalum in the presence of CO and CO/CO_2 mixtures at elevated temperatures, L11

Phase equilibria
phase transformations during long-term ageing of Ni–Fe–Cr alloys in the temperature range 450–600 °C, 225
Plasticity
high temperature plastic flow in TiC–20wt.%Mo_2C–20wt.%Ni cermet, 63
predictions of the phase ratio at the lowest flow stress in superplastic titanium alloys, L1
superplastic behavour of a rapidly solidified 7475 aluminium alloy, 129
superplastic gas-pressure deformation of iron carbide sheet, 69
Polymers
crack propagation behaviour during three-point bending of polymer matrix composite/Al_2O_3/polymer matrix composite laminated composites, 157
Polymethyl methacrylate
controlled generation of internal cracks in polymethyl methacrylate, 113
Polyoximethylene
effects of load and recovery time on the complex modulus of polyoximethylene, L23
Powders
investigation of the powder characteristics and microstructures of alumina–zirconia composites, 235

Rapid solidification
superplastic behaviour of a rapidly solidified 7475 aluminium alloy, 129

Silicon
effects of vacuum hot pressing parameters on the tensile properties and microstructures of SiC–2124Al composites, 165
high resolution electron microscopy studies of the microstructure in nanocrystalline $(Fe_{0.99}Mo_{0.01})Si_9B_{13}$ alloys, 211
influence of Cu and Nb on crystallization and magnetic properties of amorphous $Fe_{77.5}Si_{15.5}B_7$ alloys, 77
microstructure of laser-clad SiC–(Ni alloy) composite coating, 219
reactive melt infiltration of silicon–molybdenum alloys into microporous carbon preforms, 193
Slip
the cyclic deformation behavior of Cu single crystal oriented for double slip, 171
Solid solutions
strengthening due to non-random solid solutions, 121
Steel
a mechanistic approach to the life prediction of 316L stainless steel under combined creep/fatigue cycling, 25
measurement of austenite-to-ferrite temperature after multi-pass deformation of steels, L15
mechanisms of equiaxed grain formation in ferritic stainless steel gas tungsten arc welds, 187
Strengthening
strengthening due to non-random solid solutions, 121
Stress
choice of evolution equation for internal stress in creep, 9
influence of four-point bending fatigue on the residual stress state of a pressure-rolled, particulate-reinforced metal matrix composite, 147
predictions of the phase ratio at the lowest flow stress in superplastic titanium alloys, L1
Sustained-load cracking
effects of chromium addition on the sustained-load cracking characteristics of gamma-base titanium aluminides, 35

Tantalum
the behaviour of tantalum in the presence of CO and CO/CO_2 mixtures at elevated temperatures, L11
Tin
microstructure and high temperature mechanical properties of tin, 17
Titanium
effect of lamellar structure on fracture behavior of TiAl polysynthetically twinned crystals, 43
predictions of the phase ratio at the lowest flow stress in superplastic titanium alloys, L1
thermo-mechanical stability of forged Ti–26Al–10Nb–3V–1Mo (at.%), 99
Titanium aluminides
effects of chromium addition on the sustained-load cracking characteristics of gamma-base titanium aluminides, 35
Titanium carbide
high temperature plastic flow in TiC–20wt.%Mo_2C–20wt.%Ni cermet, 63

Tungsten
mechanisms of equiaxed grain formation in ferritic stainless steel gas tungsten arc welds, 187

Vacuum hot pressing
effects of vacuum hot pressing parameters on the tensile properties and microstructures of SiC–2124Al composites, 165

Vanadium
thermo-mechanical stability of forged Ti–26Al–10Nb–3V–1Mo (at.%), 99

Welding
mechanisms of equiaxed grain formation in ferritic stainless steel gas tungsten arc welds, 187

Zirconia
investigation of the powder characteristics and microstructures of alumina–zirconia composites, 235